

50 Litres

- Step 1:** Add 100ml C Ammonia.
- Step 2:** Add 5ml Resene WashWise Flocculent and stir.
- Step 3:** Add 50ml Resene WashWise Flocculent and stir.
- Step 4:** Check for coagulation.
- Step 5:** If insignificant coagulation, add 50ml of Resene WashWise Flocculent and stir.
- Step 6:** Stand overnight.
- Step 7:** Run off clear water.
- Step 8:** Add Crystal Rain to sludge, leave overnight and dispose of through your normal rubbish service.

Top WashWise tips to save you time!

1. Brush or roll out excess paint onto newspaper or similar before washing.
2. Wrap brushes, rollers and roller trays with paint in plastic cling wrap or an airtight plastic bag while you are on breaks or overnight. This will keep the paint moist.
3. Different paint products will react differently to the treatment - don't be surprised if one batch is sloppy and another relatively dry.
4. Dilution of waste water (i.e. the amount of paint waste in liquid) will also impact significantly on the treatment process. As you gain experience, you'll gain familiarity with how this impacts on the treatment.
5. Dispose of 'grey water' responsibly only into sewer drains (not stormwater drains). Common sewer connections are drains inside buildings, such as the laundry tub or toilet. Any external drains are most commonly storm water connections and should NOT be discharged into.
6. The recovered solids are pH neutral and make excellent mulching material. Alternatively, wrap sludge/solids and dispose of with your normal rubbish to landfill.
7. Never place solventborne or two pack products into the barrel.
8. Ensure the barrel is on a raised level base before using it.
9. Some strong colours, such as blues and reds, can tinge the treated liquid colour due to the high dye levels.
10. Where possible, process your waste water onsite to impress your customers.
11. Don't use it in the back of your van!
12. Leave leftover colours with your customers clearly marked with the colour name and area of use.

Resene

the paint the professionals use

WASHWISEINS 7/13

In Australia: Resene Paints (Aust) Limited
7 Production Ave, PO Box 924, Beenleigh, Qld 4207
Phone 1800 738 383 Fax 1800 064 960
Email advice@resene.com.au or visit www.resene.com.au

In New Zealand: Resene Paints Limited
Vogel Street, PO Box 38242, Wellington Mail Centre, Lower Hutt 5045
Phone (04) 577 0500 Fax (04) 577 0600
Email advice@resene.co.nz or visit www.resene.co.nz

