

# SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** CEILING PAINT LOW VOC

**Other Names:**

**Recommended Use:** Waterborne acrylic paint

**Company Name:** Resene Paints Limited New Zealand

**Address:** 32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND  
P O Box 38242, Wellington Mail Centre

**Phone:** (04) 577 0500 Fax: (04) 577 0600

Resene Paints Limited Australia

**Address** 7 Production Avenue, Molendinar, Queensland 4214  
P O Box 785, Ashmore City, Queensland 4214  
AUSTRALIA

**Phone** 1800 738 383

**Emergency Telephone:**

**New Zealand** 0800 737 363 Available Monday - Friday 8.00am - 4.30pm

**New Zealand Poisons Centre: 0800 764 766**

**Australia**

**1800 738 383**

**Australian Poisons Centre: 131 126**

## SECTION 2. HAZARDS IDENTIFICATION

**Hazard Classificaton** NON HAZARDOUS according to NZ HSNO Regulations  
Not Regulated under NZS5433 for land transportation

**Risk Phrases** Not assigned

**Safety Phrases** Not assigned

**Substance Classification** 6.3B 6.4A 9.1C

**Hazard Statements** Causes mild skin irritation

Causes eye irritation

Harmful to aquatic life with long lasting effects

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENT

Ingredients	%	CAS No	TWA
Water	>60	7732-18-5	None Establish
Proprietary ingredients		various	None Establish

## SECTION 4. FIRST AID MEASURES

**Eyes** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists get medical attention/advice.

**Swallowed:** Call a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel unwell.

**Skin** IF skin irritation occurs: Get medical advice/attention.

**Inhaled** Provide fresh air, give oxygen or artificial respiration if breathing laboured.

**Aggravated medical conditions caused by exposure**

**Chronic Health Effects** Not Identified

**Advice to Doctor** Treat symptomatically.

## SECTION 5. FIRE FIGHTING MEASURES

**Extinguisher** Foam, Carbon Dioxide, Dry Chemical

**Hazards from  
combustion products**

**Special protective precautions and equipment for firefighters**

<b>Fire/Explosion Hazard</b>	<b>Auto Ignition Temperature</b>	<b>Lower Explosion Limit</b>	<b>Upper Explosion Limit</b>
<b>Hazchem Code</b>	<b>Flash Point</b>	n/a	n/a
Non Haz	n/a		

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures**

Keep spectators away and avoid breathing dust or vapours

**Methods and materials for containment and clean up**

**Minor Spills** Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.

Wear protective clothing and breathing apparatus.

Sweep up.

Place in separate container for disposal or recovery.

Clean up spills immediately.

**Major Spills** Dike and contain spill with inert materials (eg. Sand).

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water.

Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

**SECTION 7. HANDLING AND STORAGE**

**Precautions for safe handling** Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities Not Identified

**Storage Temperatures** Min 1°C Max 40°C

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**National exposure standards for mixture** No exposure standards has been established for this product

<b>Component</b>	<b>Breathing Zone ppm</b>	<b>Breathing Zone mg/m<sup>3</sup></b>
------------------	---------------------------	--

**Personal Protection**

**Eye:** Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using any paint.

**Hands/Feet** Protective clothing. Gloves of neoprene or nitrile rubber - Industrial weight lined gauntlet recommended.

**Other** Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.

Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of heated materials. Wash hands thoroughly before handling food.

**Respirator** None required

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** White viscous liquid

<b>Odour</b>	pH	<b>Vapour Pressure</b>	<b>Vapour Density</b>	<b>Boiling Point</b>	<b>Melt Freeze</b>	<b>Solubility</b>	<b>Volatile by Weight</b>
	7-10	n/a	n/a	100°C	0°C	Soluble	65

**SECTION 10. STABILITY AND ACTIVITY**

**Chemical Stability** Product is considered stable under normal storage and handling conditions.

Conditions to Avoid Freezing, excessive heat and changes in temperature

**Incompatible Materials**

**Hazardous decomposition product** Oxides of carbon and nitrogen



