RESENE HI- GLO Resene Paints (Australia) Limited

Version No: **1.2** Safety Data Sheet according to WHS and ADG requirements Issue Date: **14/04/2020** Print Date: **12/10/2020** L.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	RESENE HI- GLO
Synonyms	Incl WHITE, PASTEL, LIGHT, MID, DEEP, ULTRA DEEP, OCHRE, GREEN, MAGENTA, YELLOW 2, RED, INTENSE RED, MID GREY, RED OXIDE, COOL BLACK, BEAUREPAIRES BLUE, BEAUREPAIRES ORANGE.
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 9819 10247 9681 9000 9181 7991 9001 10250 9279 8949 7945 9671 9996 9148 9757 7832

Details of the supplier of the safety data sheet

Registered company name	Resene Paints (Australia) Limited
Address	64 Link Drive Queensland 4207 Australia
Telephone	+61 7 55126600
Fax	+61 7 55126697
Website	www.resene.com.au
Email	Not Available

Emergency telephone number

Association / Organisation	AUSTRALIAN POISONS CENTRE	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	131126	+61 2 9186 1132
Other emergency telephone numbers	Not Available	+61 1800 951 288

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification ^[1]	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex V
abel elements	
Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable
upplementary statement(s)	
upplementary statement(s) Not Applicable	vention
azard statement(s) upplementary statement(s) Not Applicable recautionary statement(s) Pre Not Applicable	evention
upplementary statement(s) Not Applicable recautionary statement(s) Pre Not Applicable	
upplementary statement(s) Not Applicable recautionary statement(s) Pre	
upplementary statement(s) Not Applicable recautionary statement(s) Pre Not Applicable recautionary statement(s) Re	sponse
upplementary statement(s) Not Applicable recautionary statement(s) Pre Not Applicable recautionary statement(s) Rep ot Applicable	sponse
upplementary statement(s) Not Applicable recautionary statement(s) Pre Not Applicable recautionary statement(s) Re ot Applicable recautionary statement(s) Sto	sponse prage

Page 2 of 6
RESENE HI- GLO

Substances

See section below for composition of Mixtures

Mixtures	
CAS No	Name

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	► Non combustible.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean- up.	
Major Spills	Minor hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Avoid breathing in mists or vapours and skin or eyes contact. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.	

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	Limit all unnecessary personal contact.
Other information	

Suitable container	Polyethylene or polypropylene container.			
Storage incompatibility	None known			
ECTION 8 Exposure contro	ols / personal protection			
control parameters				
Occupational Exposure Limits (C	DEL)			
INGREDIENT DATA				
Not Available				
Emergency Limits				
Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Ingredient	Original IDLH	Rev	ised IDLH	
Occurrent Francisco Dec. "				
Occupational Exposure Banding				
Occupational Exposure Banding Ingredient	Occupational Exposure Band Rating		cupational Exposure B	
Ingredient Notes:		ssigning chemicals into specifi re. The output of this process	ic categories or bands ba	nsed on a chemical's potency and the
Ingredient Notes: MATERIAL DATA	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposu	ssigning chemicals into specifi re. The output of this process	ic categories or bands ba	nsed on a chemical's potency and the
Ingredient Notes:	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposu	ssigning chemicals into specifi re. The output of this process ed to protect worker health.	ic categories or bands ba is an occupational expos	used on a chemical's potency and the sure band (OEB), which corresponds to a
Ingredient Notes: MATERIAL DATA Exposure controls Appropriate engineering	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposu range of exposure concentrations that are expected	ssigning chemicals into specifi re. The output of this process ed to protect worker health.	ic categories or bands ba is an occupational expos	used on a chemical's potency and the sure band (OEB), which corresponds to a
Ingredient Notes: MATERIAL DATA Exposure controls Appropriate engineering controls	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposu range of exposure concentrations that are expected	ssigning chemicals into specifi re. The output of this process ed to protect worker health.	ic categories or bands ba is an occupational expos	used on a chemical's potency and the sure band (OEB), which corresponds to a
Ingredient Notes: MATERIAL DATA Exposure controls Appropriate engineering controls Personal protection	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposur range of exposure concentrations that are expected Engineering controls are used to remove a hazard OCO Concentration of the temperature of the temperature Safety glasses with side shields	ssigning chemicals into specifi re. The output of this process ed to protect worker health.	ic categories or bands ba is an occupational expos	used on a chemical's potency and the sure band (OEB), which corresponds to a
Ingredient Notes: MATERIAL DATA Exposure controls Appropriate engineering controls Personal protection Eye and face protection	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposur range of exposure concentrations that are expected Engineering controls are used to remove a hazard Image: Open Participation Participation Image: Open Participation <tr< td=""><td>ssigning chemicals into specifi re. The output of this process ed to protect worker health. d or place a barrier between th</td><td>ic categories or bands ba is an occupational expos</td><td>used on a chemical's potency and the sure band (OEB), which corresponds to a</td></tr<>	ssigning chemicals into specifi re. The output of this process ed to protect worker health. d or place a barrier between th	ic categories or bands ba is an occupational expos	used on a chemical's potency and the sure band (OEB), which corresponds to a
Ingredient Notes: MATERIAL DATA Exposure controls Appropriate engineering controls Personal protection Eye and face protection Skin protection	Occupational Exposure Band Rating Occupational exposure banding is a process of as adverse health outcomes associated with exposur range of exposure concentrations that are expected Engineering controls are used to remove a hazard Image: Controls are used to remove a hazard<	ssigning chemicals into specifi re. The output of this process ed to protect worker health. d or place a barrier between th	ic categories or bands ba is an occupational expos	used on a chemical's potency and the sure band (OEB), which corresponds to a

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Acrylic dispersion		
Physical state	Liquid	Relative density (Water = 1)	1.2-1.3
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8-9	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	1070-1090
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	58
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	<65

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).		
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
		·	
	TOXICITY	IRRITATION	
RESENE HI- GLO	Not Available	Not Available	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
		_ogonal	ot available or does not fill the criteria for classification le to make classification

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
RESENE HI- GLO	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

May cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark.

Persistence and degradability		
Ingredient	Persistence: Water/Soil	Persistence: Air
Bioaccumulative potential		
Ingredient	Bioaccumulation	
Mobility in soil		
Ingredient	Mobility	

SECTION 13 Disposal considerations

Waste treatment methods		
Product / Packaging disposal	 Legislation addressing waste disposal requirements may differ by country, state and/ or territory. DO NOT allow wash water from cleaning or process equipment to enter drains. Recycle wherever possible. 	
SECTION 14 Transport info	, motion	

SECTION 14 Transport information

Labels Required		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

National Inventory Status

National Inventory	Status
Australia - AIIC	Yes
Australia - Non-Industrial Use	No (2,2,4-trimethyl-1,3-pentanediol monoisobutyrate; alcohols C11-15 secondary ethoxylated)
Canada - DSL	Yes
Canada - NDSL	No (2,2,4-trimethyl-1,3-pentanediol monoisobutyrate; alcohols C11-15 secondary ethoxylated)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (alcohols C11-15 secondary ethoxylated)
Japan - ENCS	No (alcohols C11-15 secondary ethoxylated)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	14/04/2020
Initial Date	09/09/2014

SDS Version Summary

Version	Issue Date	Sections Updated
0.2.1.1.1	14/04/2020	Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LODE Limit of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.

