RESENE CROWN LANDSCAPE Resene Paints Ltd

Version No: **1.1**Safety Data Sheet according to HSNO Regulations

Chemwatch Hazard Alert Code: 2

Issue Date: 19/07/2020 Print Date: 13/08/2020 S.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product name	RESENE CROWN LANDSCAPE
Synonyms	Incl. Black, Cedar, Kauri colours
Other means of identification	Not Available
evant identified uses of the	substance or mixture and uses advised against
Relevant identified uses	10638, 10639, 10640
Relevant identified uses ails of the supplier of the sa	
ails of the supplier of the sa	afety data sheet
ails of the supplier of the sa	afety data sheet Resene Paints Ltd
ails of the supplier of the sa Registered company name Address	Afety data sheet Resene Paints Ltd 32-50 Vogel Street Wellington New Zealand
ails of the supplier of the sa Registered company name Address Telephone	Afety data sheet Resene Paints Ltd 32-50 Vogel Street Wellington New Zealand +64 4 577 0500

Emergency telephone number

Zinorgonoy tolephone manuscr			
Association / Organisation	NZ POISONS (24hr 7 days)	CHEMWATCH EMERGENCY RESPONSE	
Emergency telephone numbers	0800 764766	+61 2 9186 1132	
Other emergency telephone numbers	Not Available	+64 800 700 112	

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

Classification [1]	Skin Sensitizer Category 1	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Determined by Chemwatch using GHS/HSNO criteria	6.5B (contact)	

Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

H317 May cause an allergic skin reaction.

Precautionary statement(s) Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P321 Specific treatment (see advice on this label).

Precautionary statement(s) Storage

 Version No: 1.1
 Page 2 of 7
 Issue Date: 19/07/2020

RESENE CROWN LANDSCAPE

Print Date: 13/08/2020

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
68457-13-6	0.1-0.5	cobalt borate neodecanoate

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

► Water spray or fog.

Special hazards arising from the substrate or mixture

Fire Incompatibility	P Avoid contamination with oxidising agents
Advice for firefighters	
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.
Fire/Explosion Hazard	The product is not combustible under normal conditions. Combustion products include: carbon dioxide (CO2) metal oxides other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

May emit corrosive fumes

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean- up.
Major Spills	Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Avoid breathing in mists or vapours and skin or eyes contact. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

► Avoid unnecessary personal contact.

Version No: 1.1 Page 3 of 7 Issue Date: 19/07/2020 Print Date: 13/08/2020

RESENE CROWN LANDSCAPE

▶ DO NOT allow clothing wet with material to stay in contact with skin Other information Store in original containers.

Conditions for safe storage, including any incompatibilities

Suitable container	Packaging as recommended by manufacturer.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
RESENE CROWN LANDSCAPE	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
cobalt borate neodecanoate	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
cobalt borate neodecanoate	E ≤ 0.01 mg/m³	
Notes:	Occupational exposure banding is a process of assigning chemicals into s adverse health outcomes associated with exposure. The output of this prorange of exposure concentrations that are expected to protect worker hea.	ocess is an occupational exposure band (OEB), which corresponds to a

Exposure controls

p		
Appropriate engineering controls	Engineering controls are used to remove a pazard or place a partier petween the worker and the pazard	
Personal protection		
Eye and face protection	▶ Safety glasses with side shields.	
Skin protection	See Hand protection below	
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. NOTE: The material may produce skin sensitisation in predisposed individuals. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. 	
Body protection	See Other protection below	
Other protection	P Overalls.	

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computergenerated selection:

RESENE CROWN LANDSCAPE

Material	СРІ
PE/EVAL/PE	Α

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Respiratory protection required in insufficiently ventilated working areas and during spraying. An approved respirator with a replaceable vapour/ mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to AS/NZS 1715 Standard, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716 Standard, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances

Recommended filter type: Type A filter (organic vapour).

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum	Maximum gas/vapour concentration present in air	Half-face Respirator	Full-Face Respirator
protection factor	p.p.m. (by volume)	Respirator	Respirator
up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

Version No: **1.1** Page **4** of **7** Issue Date: **19/07/2020**

RESENE CROWN LANDSCAPE

Print Date: 13/08/2020

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Information on	basic ph	vsical and	chemical	properties

Appearance	Coloured liquid		
Physical state	Liquid	Relative density (Water = 1)	1.02-1.06
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8.4-9.2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	72-74
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	27

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	▶ stable
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

e material is not thought to produce adverse health effects or irritation dels). e material has NOT been classified by EC Directives or other classificate material is not thought to produce adverse health effects or skin irritadels). hough the liquid is not thought to be an irritant (as classified by EC Directerised by tearing or conjunctival redness (as with windburn). In contact with the material is more likely to cause a sensitisation react	ation systems as "harmful by ingestion". ation following contact (as classified by EC Directives using animal rectives), direct contact with the eye may produce transient discomfort
e material is not thought to produce adverse health effects or skin irritadels). hough the liquid is not thought to be an irritant (as classified by EC Dinaracterised by tearing or conjunctival redness (as with windburn).	ation following contact (as classified by EC Directives using animal rectives), direct contact with the eye may produce transient discomfort
dels). hough the liquid is not thought to be an irritant (as classified by EC Diraracterised by tearing or conjunctival redness (as with windburn).	rectives), direct contact with the eye may produce transient discomfort
aracterised by tearing or conjunctival redness (as with windburn).	
n contact with the material is more likely to cause a sensitisation react	tion in some persons compared to the general population.
OXICITY	IRRITATION
Not Available	Not Available
OXICITY	IRRITATION
lermal (rat) LD50: >2000 mg/kg ^[1]	Eye: adverse effect observed (irritating) ^[1]
	Skin: no adverse effect observed (not irritating) ^[1]
Nalue obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chamical Substances.	
	OXICITY vermal (rat) LD50: >2000 mg/kg ^[1]

RESENE CROWN
LANDSCAPE

The acute oral toxicity of propylene glycol is very low; large amounts are needed to cause perceptible health damage in humans.

Version No: 1.1 Page 5 of 7 Issue Date: 19/07/2020

RESENE CROWN LANDSCAPE

Print Date: 13/08/2020

COBALT BORATE **NEODECANOATE** No significant acute toxicological data identified in literature search.

NOTE: Substance has been shown to be mutagenic in at least one assay, or belongs to a family of chemicals producing damage or change to cellular DNA.

WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.

Cobalt borate neodecanoate was found to induce structural chromosomes aberrations in the in vitro mammalian chromosome aberration test in Chinese hamster ovary cells in both the non-activated and the S9-activated test systems It was concluded that the substance was positive in this in vitro test. SOCMA submission to TSCA

RESENE CROWN

LANDSCAPE & COBALT BORATE NEODECANOATE The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.

Acute Toxicity	X	Carcinogenicity	X
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	X
Respiratory or Skin sensitisation	✓	STOT - Repeated Exposure	x
Mutagenicity	×	Aspiration Hazard	×

Legend:

- Data either not available or does not fill the criteria for classification - Data available to make classification

SECTION 12 Ecological information

Toxicity

DESCRIE ODOMAL	Endpoint	Test Duration (hr)	Species	Value	Source
RESENE CROWN LANDSCAPE	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96	Fish	0.001-0.406mg/L	2
cobalt borate neodecanoate	EC50	48	Crustacea	0.002-0.618mg/L	2
	EC50	96	Algae or other aquatic plants	0.0695mg/L	2
	NOEC	168	Algae or other aquatic plants	0.0001mg/L	2
Legend:		n 1. IUCLID Toxicity Data 2. Europe ECHA Registe) - Aquatic Toxicity Data (Estimated) 4. US EPA, E	ŭ	,	

Propylene glycol is known to exert high levels of biochemical oxygen demand (BOD) during degradation in surface waters.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods

▶ Containers may still present a chemical hazard/ danger when empty.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

DO NOT allow wash water from cleaning or process equipment to enter drains Product / Packaging disposal

▶ Recycle wherever possible or consult manufacturer for recycling options.

Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority for the disposal information. Do not discharge the substance into the environment.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the

SECTION 14 Transport information

Version No: 1.1 Page 6 of 7 Issue Date: 19/07/2020 Print Date: 13/08/2020

RESENE CROWN LANDSCAPE

Labels Required

Marine Pollutant **HAZCHEM** Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002670	Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017

cobalt borate neodecanoate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

New Zealand Inventory of Chemicals (NZIoC)

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity (Closed Containers)	Quantity (Open Containers)
Not Applicable	Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory Status	Out
National Inventory	Status
Australia - AIIC	Yes
Australia Non-Industrial Use	No (cobalt borate neodecanoate)
Canada - DSL	
Canada - NDSL	
China - IECSC	
Europe - EINEC / ELINCS / NLP	
Japan - ENCS	
Korea - KECI	
New Zealand - NZIoC	Yes
Philippines - PICCS	
USA - TSCA	
Taiwan - TCSI	
Mexico - INSQ	
Vietnam - NCI	
Russia - ARIPS	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	19/07/2020
Initial Date	14/10/2019

Version No: **1.1** Page **7** of **7** Issue Date: **19/07/2020**

RESENE CROWN LANDSCAPE

Print Date: 13/08/2020

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.