Resene Paints LTD Version No: 2.2

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: **19/01/2023** Print Date: **19/01/2023** L.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier				
Product name	DECORATOR HIGH OPACITY CEILING WHITE			
Synonyms	Not Available			
Other means of identification	Not Available			

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	10870
--------------------------	-------

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Resene Paints LTD		
Address	32-50 Vogel Street Wellington 5011 New Zealand		
Telephone	+64 4 5770500 +64 4 5773327 www.resene.co.nz		
Fax			
Website			
Email	advice@resene.co.nz		

Emergency telephone number

Association / Organisation	NZ POISONS (24hr 7days)	CHEMWATCH EMERGENCY RESPONSE	
Emergency telephone numbers	0800 764766	+64 800 700 112	
Other emergency telephone numbers	Not Available	+61 3 9573 3188	

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification ^[1]	Hazardous to the Aquatic Environment Long-Term Hazard Category 3		
Legend:	egend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI		
Determined by Chemwatch using GHS/HSNO criteria	9.1C		
_abel elements			
Hazard pictogram(s)	Not Applicable		
Signal word	Not Applicable		
Hazard statement(s)			
H412	Harmful to aquatic life with long lasting effects.		
Precautionary statement(s) Pre	evention		
	Avoid release to the environment.		
P273			
Precautionary statement(s) Re			
P273 Precautionary statement(s) Re Not Applicable Precautionary statement(s) Sto Not Applicable	sponse		
Precautionary statement(s) Re Not Applicable Precautionary statement(s) Sto	sponse prage		

Substances

See section below for composition of Mixtures

Ingredients are required by the Hazard Substances (Safety Data Sheets) Notice 2017, EPA consolidation 30 April 2021 to be identified:

Mixtures

CAS No	%[weight]	Name	
68131-40-8	0.1-1	alcohols C11-15 secondary ethoxylated	
84133-50-6	0.1-1	alcohols C12-14 secondary ethoxylated	
Legend:	 Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; Classification drawn from C&L * EU IOELVs available 		

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

There is no restriction on the type of extinguisher which may be used.

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

Advice for firefighters

Fire Fighting	Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	► Non combustible.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean- up.
Major Spills	Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Avoid breathing in mists or vapours and skin or eyes contact. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Safe handling	Andling Limit all unnecessary personal contact.			
Other information				
Conditions for safe storage, including any incompatibilities				
Suitable container	container As supplied by manufacturer			
Storage incompatibility	Strong oxidisers			

SECTION 8 Exposure controls / personal protection

Control parameters

l	Occupational Exposure Limits (OEL) INGREDIENT DATA Not Available Not Available				
Emergency Limits					
	Ingredient	TEEL-1	TEEL-2		TEEL-3
	DECORATOR HIGH OPACITY CEILING WHITE	NG WHITE Not Available Not Available dient Original IDLH ols C11-15 secondary Not Available			Not Available
	Ingredient			Revised IDLH	
	alcohols C11-15 secondary ethoxylated			Not Available	
	alcohols C12-14 secondary ethoxylated	Not Available		Not Available	
Occupational Exposure Banding					
	Ingredient	Occupational Exposure Band Rating		Occupational Exposure Band Limit	
	alcohols C11-15 secondary ethoxylated			≤ 0.1 ppm	
	alcohols C12-14 secondary				

 alcohols C12-14 secondary ethoxylated
 E
 < 0.1 ppm</td>

 Notes:
 Occupational exposure banding is a process of assigning chemicals into adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

MATERIAL DATA

Exposed individuals are NOT reasonably expected to be warned, by smell, that the Exposure Standard is being exceeded.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	 Safety glasses with side shields Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves.
Body protection	Overalls
Respiratory protection	No special measures required.

Respiratory protection

Not required for properly ventilated areas. Where the concentration of vapours in the breathing zone approaches or exceeds the "Exposure Standards" respiratory protection is required. Type A Filter of sufficient capacity.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White acrylic dispersion		
Physical state	Liquid	Relative density (Water = 1)	1.37-1.42

Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8-9	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	1200-1800
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	45
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	6

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).			
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).			
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.			
DECORATOR HIGH OPACITY	ΤΟΧΙΟΙΤΥ		IRRITATION	
CEILING WHITE	Not Available		Not Available	
	TOXICITY	IRRITATIO	N	
alcohols C11-15 secondary	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no ad	lverse effect observed (not irritating) ^[1]	
ethoxylated	Oral (Rat) LD50; >=2000 mg/kg ^[1]	Skin (rabbi	it): 500 mg(open) mild	
		Skin: no adverse effect observed (not irritating) ^[1]		
alcohols C12-14 secondary	ΤΟΧΙΟΙΤΥ		IRRITATION	
ethoxylated	Not Available		Not Available	

Legend:	1. Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To		ined from manufacturer's SDS. Unless otherwise	
	1			
ALCOHOLS C12-14 SECONDARY ETHOXYLATED	No significant acute toxicological data identified in literature search.			
ALCOHOLS C11-15 SECONDARY ETHOXYLATED & ALCOHOLS C12-14 SECONDARY ETHOXYLATED	Polyethers, for example, ethoxylated surfactants and stabilize intermediary radicals involved. Human beings have regular contact with alcohol ethox and other cleaning products . Alcohol ethoxylates are according to CESIO (2000) cl EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) ar EO > 5-15 gives Harmful (Xn) with R22 (Harmful if sw EO > 15-20 gives Harmful (Xn) with R22-41 >20 EO is not classified (CESIO 2000) Oxo-AE, C13 EO10 and C13 EO15, are Irritating (Xi) AE are not included in Annex 1 of the list of dangerou In general, alcohol ethoxylates (AE) are readily absorb rats. For high boiling ethylene glycol ethers (typically triethy Skin absorption : Available skin absorption data for tr glycol ethylene ether (TGEE) suggest that the rate of methyl ether having the highest permeation constant a	kylates through a variety of industrial a assified as Irritant or Harmful dependi d R41 (Risk of serious damage to ey allowed) - R38/41 with R36/38 (Irritating to eyes and skii s substances of the Council Directive bed through the skin of guinea pigs ar vlene- and tetraethylene glycol ethers) iethylene glycol ether (TGBE), triethyl absorption in skin of these three glyco	and consumer products such as soaps, detergents, ing on the number of EO-units: es) n) . 67/548/EEC and rats and through the gastrointestinal mucosa of): lene glycol methyl ether (TGME), and triethylene ol ethers is 22 to 34 micrograms/cm2/hr, with the	
Acute Toxicity	×	Carcinogenicity	×	
Skin Irritation/Corrosion	×	Reproductivity	×	
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×	
Respiratory or Skin sensitisation	× STOT - Repeated Exposure ×			
Mutagenicity	×	Aspiration Hazard	×	
			not available or does not fill the criteria for classification le to make classification	

SECTION 12 Ecological information

DECORATOR HIGH OPACITY	Endpoint	Test Duration (hr)	Species		Value		Sou	rce
CEILING WHITE	Not Available	Not Available Not Available		able	Not Available		Not Available	
alcohols C11-15 secondary ethoxylated	Endpoint	Test Duration (hr) Species		Species	Value			Source
	NOEC(ECx)	672h Crustac		Crustacea	0.08mg/l			2
alcohols C12-14 secondary	Endpoint	Test Duration (hr)	Species		Value		Sou	rce
ethoxylated	Not Available	Not Available	Not Available Not Available Not Avail			Available		
Legend:	Extracted from 1. IUC	CLID Toxicity Data 2. Europe ECHA	Registered Subst	ances - Ecotoxi	cological In	formation - Aqua	tic Tox	ticity 4. US E
		quatic Toxicity Data 5. ECETOC Ac	•		•			

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients
Bioaccumulative potential		
Ingredient	Bioaccumulation	
	No Data available for all ingredients	
Mobility in soil		
Ingredient	Mobility	
	No Data available for all ingredients	

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

DO NOT allow wash water from cleaning or process equipment to enter drains.
Recycle wherever possible.
Consult manufacturer for recycling option.
Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority
for the disposal information. Do not discharge the substance into the environment.

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

Do not allow product or wash water from cleaning or process equipment to enter drains or watercourses. It may be necessary to collect all wash water for treatment before disposal. The generation of waste should be avoided or minimised wherever possible.

Disposal of this product should comply with Hazard Substances (Disposal) Notice 2017 (EPA Consolidation 30 April 2021).

For treating and discharging processes contact your local authority.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
alcohols C11-15 secondary ethoxylated	Not Available
alcohols C12-14 secondary ethoxylated	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
alcohols C11-15 secondary ethoxylated	Not Available
alcohols C12-14 secondary ethoxylated	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard	
HSR002670	Surface Coatings and Colourants Subsidiary Hazard Group Standard 2020	

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

Continued...

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

alcohols C11-15 secondary ethoxylated is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

 New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification
 of Chemicals - Classification Data

 of Chemicals
 New Zealand Inventory of Chemicals (NZIoC)

alcohols C12-14 secondary ethoxylated is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
New Zealand - NZIoC	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	19/01/2023
Initial Date	21/06/2021

SDS Version Summary

Version	Date of Update	Sections Updated	
1.2	19/01/2023	Classification, Exposure Standard, Use, Name	

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.