

Resene colour charts are updated regularly. This colour chart file is part of the colour chart archive, which we provide so you can view Resene colours that have been available over the years. Most older colours can still be tinted – check with your Resene ColorShop team if you need an older colour for your project.

To view the latest Resene colour charts, visit www.resene.com/colour-charts

Crown



Charcoal



Tao Grey



Redwood



Karaka



Cedar



Landscape Green



Pepperwood



Milford Green



Barn Red

Crown

Crown Timber Colour is a 100% acrylic low sheen self-sealing exterior finish for use on fences, pergolas and decking. No primer is required except over bare metal. Available in a range of colours perfect for the great outdoors.

Quick Tips:

- Timber decking and close tight grained timbers must be sanded to rough finish to obtain correct key.
- If timber to be painted is exhibiting sap staining or excessive tannin bleeding then it should be primed with Resene Wood Primer (see Data Sheet D40).
- Apply two coats at 12-14 square metres per litre by brush, roller or spray.
- Do not apply coating in thick coats otherwise drying and curing may be affected.
- Touch dry in 30 minutes, recoat after 2 hours.
- Can be reduced with up to 5% clean water or Resene Hot Weather Additive if required. Keep thinning to a minimum.

For a premium finish try Resene Lumbersider satin acrylic (see Resene Data Sheet D34) available in thousands of colours from the Resene Total Colour System.

Resene

the paint the professionals use

For further painting advice and information:

In New Zealand:

Resene Paints Limited
Vogel Street, Lower Hutt, PO Box 38-242,
Wellington Mail Centre
Phone (04) 577 0500 Fax (04) 577 0600
Email advice@resene.co.nz or visit www.resene.co.nz

In Australia:

Resene Paints (Aust) Limited
7 Production Ave, PO Box 785,
Ashmore City, Queensland, 4214
Phone 1800 738 383 Fax 1800 064 960
Email advice@resene.com.au or visit www.resene.com.au