

Resene colour charts are updated regularly. This colour chart file is part of the colour chart archive, which we provide so you can view Resene colours that have been available over the years. Most older colours can still be tinted – check with your Resene ColorShop team if you need an older colour for your project.

To view the latest Resene colour charts, visit [www.resene.com/colour-charts](http://www.resene.com/colour-charts)

# Crown

## WHITES COLLECTION



# Crown



Barley White 7BY50



Wildflower 6RO01



Tabby 6BO73



Buttermilk 6BY50



Manilla 6.5BO05



Crusade 5YO75



Astra 6YO30



Periwinkle 7.5YO55



Saloon 5.5YO35



Dutch White 7YO37



Enchanté 7YO65



Spanish White 8YO25



Scotch Mist 7YO20



Egg Sour 7YO50



Half Spanish White 9YO25



Whipped Cream 8.5YO19



Solitaire 8YO55



Pearl Lusta 8YO22

## WHITES COLLECTION



Mandrake 6.5GO02



Swordfish 6.5GR78



Rainee 7GO50



Hitchhiker 6YO09



Treetops 6GO11



Snowy Mint 7YG30



Bisque 7YO17



Corkscrew 6.5BO27



Shalimar 7BY20



Fleece 8.5YO05



Grey Nurse 7GR10



Remy 7BR30



Manyana 8GR12



Hawkes Blue 7B10



Watusi 7OR60



Alto 7GR30



Link Water 7B60



Fog 7V40

# Crown

## WHITES COLLECTION

### Easy to live with

The Crown Whites Collection includes 36 easy to live with whites and neutrals designed for use inside and out. Select a single hue and use it as the base for your colour scheme or combine two or more together for a restful scheme, the perfect backdrop for other furnishings.

### Choose low sheen

Crown Low Sheen Acrylic is a premium washable 100% acrylic coating for all types of interior and exterior surfaces where a hardwearing mould resistant finish is required. Crown Low Sheen Acrylic may be used as a self-sealer but Crown Acrylic Primer Undercoat is recommended as a first coat. Apply two coats of Crown Low Sheen Acrylic at 12-14 square metres per litre by brush, roller or spray. Touch dry in 30 minutes, recoat after 3 hours. Can be reduced with up to 5% clean water or Resene Hot Weather Thinner if required.

### Choose high gloss

Crown High Gloss Acrylic is a premium washable 100% acrylic long life exterior coating for use on all types of suitably prepared surfaces where a hardwearing coating is required. Prime as required, then topcoat in two coats of Crown High Gloss Acrylic at 12-14 square metres per litre by brush, roller or spray. Touch dry in 30 minutes, recoat after 3 hours. Can be reduced with up to 5% clean water or Resene Hot Weather Thinner if required.

### Surface Preparation and Painting

Good surface preparation is critical to maximise the life and finish of your paint system. Ensure surfaces are in sound condition, thoroughly sanded, dry and free from dirt, dust and loose material. Clean down all surfaces using Resene Roof Wash and Paint Cleaner (see Resene Data Sheet D88), a concentrated pre-treatment for painted surfaces. If moss and mould is present, treat with Resene Moss & Mould Killer (see Resene Data Sheet D80).

### Timber time

Spruce up faded timber weatherboards, fences or gates with pigmented Crown Timber Colour, available in a range of standard colours.



### Roof rejuvenation

Rejuvenate roofs with Crown Roof Acrylic Gloss, designed to give a quick drying, durable, high-gloss finish on new primed or previously painted roofs. See the Crown Acrylic Exterior Roof Paint colour range for standard colours.



### Trims and joinery

The Crown range of products is not suitable for use on working joinery - use Resene Enamacryl gloss waterbased enamel (see Resene Data Sheet D309), Resene Lustacryl semi-gloss waterbased enamel (see Resene Data Sheet D310) or Resene Zylone SpaceCote low sheen waterbased enamel (see Resene Data Sheet D311).



### More colours

Standard colour ranges are available for Crown Low Sheen, High Gloss, Roof Acrylic Gloss and Timber Colour. For more colour options see the range of colour charts in the Resene Total Colour System.



### Caring for your paint finish

Follow the recommendations in the Resene Caring for your Paint Finish brochure or on the Resene website to keep your paint finish looking its best.

Colour	Colour Code	Approx RV%
Alto	7GR30	59
Astra	6Y030	75
Barley White	7BY50	86
Bisque	7Y017	66
Buttermilk	6BY50	75
Corkscrew	6.5B027	52
Crusade	5Y075	55
Dutch White	7Y037	78
Egg Sour	7Y050	82
Enchante	7Y065	73
Fleece	8.5Y005	79
Fog	7V40	68
Grey Nurse	7GR10	68
Half Spanish White	9Y025	78
Hawkes Blue	7B10	75
Hitchhiker	6Y009	61
Link Water	7B60	72
Mandrake	6.5G002	45
Manilla	6.5B005	61
Manyana	8GR12	92
Pearl Lusta	8Y022	83
Periwinkle	7.5Y055	72
Rainee	7G050	76
Remy	7BR30	79
Saloon	5.5Y035	60
Scotch Mist	7Y020	85
Shalimar	7BY20	87
Snowy Mint	7YG30	73
Solitaire	8Y055	78
Spanish White	8Y025	71
Swordfish	6.5GR78	43
Tabby	6B073	52
Treetops	6G011	42
Watusi	7OR60	73
Whipped Cream	8.5Y019	84
Wildflower	6R001	60

All colours are tinted off White tone

**Note:** The approximate reflectance value (RV) of a colour indicates the amount of light and heat that a colour will reflect. Black has a reflectance value of 0% and absorbs all light and heat. The surfaces are consequently very dark and can get very hot. In contrast, white has a reflectance value of 100% and keeps a building light and cool. All colours fit within these two extremes.

# Resene

the paint the professionals use

In New Zealand: 32-50 Vogel Street, Lower Hutt, PO Box 38-242, Wellington Mail Centre

Call 0800 RESENE, visit [www.resene.co.nz](http://www.resene.co.nz) or email us at [advice@resene.co.nz](mailto:advice@resene.co.nz)

In Australia: PO Box 785, Ashmore City, Queensland 4214

Call 1800 738 383, visit [www.resene.com.au](http://www.resene.com.au) or email us at [advice@resene.com.au](mailto:advice@resene.com.au)



9 418022 024446

Color Communications  
0104 - 2677