


Resene colour charts are updated regularly. This colour chart file is part of the colour chart archive, which we provide so you can view Resene colours that have been available over the years. Most older colours can still be tinted – check with your Resene ColorShop team if you need an older colour for your project.

To view the latest Resene colour charts, visit [www.resene.com/colour-charts](http://www.resene.com/colour-charts)

# Resene

## semi-gloss latex paint exterior interior

The original and still the leading latex paint.



The Paint the Professionals use

# RESENE

EXTERIOR and INTERIOR  
SEMI-GLOSS LATEX

THE PAINT FOR CONCRETE

FOR ARCHITECTURAL AND PROFESSIONAL FINISHES

Available in Matt - Gloss - Semi-Gloss

CHINA BLUE



S100 1 Pt. China Blue  
1 Pt. White

PRIMROSE

4-053



S105 1 Pt. Primrose  
1 Pt. White

\* MOON MIST


9-093



S110 1 Pt. Moon Mist  
1 Pt. White

CORAL

3-035



S115 1 Pt. Coral  
1 Pt. White

WREN BLUE



S120 1 Pt. Wren Blue  
1 Pt. White

\* THISTLE

4-047



S125 1 Pt. Thistle  
1 Pt. White

\* GREY LILAC

4-047



S130 1 Pt. Grey Lilac  
1 Pt. White

HYDRANGEA



S135 1 Pt. Hydrangea  
1 Pt. White

\* CANDY



S140 1 Pt. Candy  
1 Pt. White

\* SAPPHIRE



S101 1 Pt. Sapphire  
1 Pt. White

CROCUS



S106 1 Pt. Crocus  
1 Pt. White

MIST GREY



S111 1 Pt. Mist Grey  
1 Pt. White

MUSHROOM



S116 1 Pt. Mushroom  
1 Pt. White

\* GLAZE GREEN



S121 1 Pt. Glaze Green  
1 Pt. White

GREEN MIST

5-058



S126 1 Pt. Green Mist  
1 Pt. White

\* PARCHMENT

4-046



S131 1 Pt. Parchment  
1 Pt. White

WILLOW GREEN



S136 1 Pt. Willow Green  
1 Pt. White

DUSKY PINK




S141 1 Pt. Dusky Pink  
1 Pt. White

WEDGWOOD



S102 1 Pt. Wedgwood  
1 Pt. White

POWDER ROSE



S107 1 Pt. Powder Rose  
1 Pt. White

\* HEATHER

8-087



S112 1 Pt. Heather  
1 Pt. White


\* DRIFTWOOD



S117 1 Pt. Driftwood  
1 Pt. White


SHADOW GREEN

7-082



S122 1 Pt. Shadow Green  
1 Pt. White

BAMBOO



S127 1 Pt. Bamboo  
1 Pt. White

DUTCH WHITE


4-046



S132 1 Pt. Dutch White  
1 Pt. White

SAGE

5-059



S137 1 Pt. Sage  
1 Pt. White

BURNING SAND

2-031



S142 1 Pt. Burning Sand  
1 Pt. White


MYSTIC BLUE



S103 1 Pt. Mystic Blue  
1 Pt. White

\* PUTTY

3-042



S108 1 Pt. Putty  
1 Pt. White


SHALE



S113 1 Pt. Shale  
1 Pt. White

LEATHER

2-028



S118 1 Pt. Leather  
1 Pt. White

BLUE SMOKE


7-078



S123 1 Pt. Blue Smoke  
1 Pt. White

TEAK

3-043



S128 1 Pt. Teak  
1 Pt. White

IVORY


4-046



S133 1 Pt. Ivory  
1 Pt. White

LAUREL


6-066



S138 1 Pt. Laurel  
1 Pt. White

MEXICAN RED

1-023



S143 1 Pt. Mexican Red  
1 Pt. White

TEAL BLUE


7-085



S104 1 Pt. Teal Blue  
1 Pt. White

\* PENUCHE


3-042



S109 1 Pt. Penuche  
1 Pt. White

CHARCOAL


9-101



S114 1 Pt. Charcoal  
1 Pt. White

\* BRONZE

3-038



S119 1 Pt. Bronze  
1 Pt. White

\* RAWHIDE


3-038



S124 1 Pt. Rawhide  
1 Pt. White

\* BITTER GREEN

4-050



S129 1 Pt. Bitter Green  
1 Pt. White

\* BRONZETONE

4-050



S134 1 Pt. Bronzestone  
1 Pt. White

FOREST GREEN


5-061



S139 1 Pt. Forest Green  
1 Pt. White

COFFEE

3-037



S144 1 Pt. Coffee  
1 Pt. White

NUMBERS OPPOSITE COLOUR NAMES INDICATE B.S.S. EQUIVALENTS

ALSO AVAILABLE IN BLACK AND WHITE

\* TINTED COLOUR



## Resene - the Paint the Professionals use



Use the paint the professionals use, for the reasons that they prefer it: because Resene goes on so easily, smooth and drag-free in application... because it provides better coverage... because of its unlimited range of beautiful colours... because of the long, long life that you can expect from Resene Paint.

### **Resene C.B.S. Concrete Block Sealer.**

The paint that fills the voids, waterproofs and decorates in two applications.  
C.B.S. will waterproof concrete blocks where normal paint will not.

### **Viniseal Wallpaper varnish.**

Easy to use, quick drying, latex varnish, available in flat or glaze. Makes wallpaper washable.

### **Resene Timber Stain A natural wood finish.**

For staining and waterproofing timber - available in Redwood, Cedar, Amber, Black and special colours.

### **Stipplecote Cement Based paint.**

An original cement based paint for all interior and exterior cementitious surfaces. Available in 8 standard colours.

### **Resene Matt Latex The paint for wallpaper**

Exterior and interior latex paint for concrete, stucco, asbestos, cement, brick and interior wallboards, timber and wallpapers. Requires no undercoat. (Quick drying). Available in 35 standard colours plus the 101 B.S.S. colour range (Brushes wash out in water).

### **Resene Hi Glo Latex Roof paint**

A quick drying easy to use, latex paint for galvanised iron and cementitious roofing. Dries to a hard wearing long lasting gloss. Brushes wash out in water. Available in 8 standard colours and 15 intermixed colours.

### **Resene Supergloss Interior/Exterior Enamel**

Resene Supergloss Hard Enamel is especially formulated for use inside and outside where a long lasting high gloss finish is required. Resene Enamel covers approximately 900 sq. ft. per gallon and is available in an additional 80 colours.

### **Resene Hi Glo Latex House Paint**

Interior/exterior latex enamel for weatherboard and exterior sheathings. Hi Glo Latex House Paint is designed for direct application to primed timber and previously painted surfaces. Coverage 600-800 sq. ft. per gallon, and can be recoated within the hour. Brushes wash out in water. For additional colours see the Resene Hi Glo colour card.

# Resene semi-gloss latex paint

exterior interior



## Professionally Proven for Protection & Decoration

Resene Semi Gloss is the longest established latex paint on the New Zealand market.

Resene Semi Gloss requires no sealer or undercoat. Two coats of Resene Semi Gloss will give full coverage and lasting protection on most surfaces.

## Where to use

Outside – On concrete, brick work, concrete blocks, asbestos cement, cement plaster, stucco and other masonry surfaces.

Inside – On concrete brick work, concrete blocks, asbestos cement, cement plaster, gibraltar board, fibrous plaster, wallpaper, timber, and all types of wallboards.

## Application -

Resene Semi Gloss may be applied by brush, roller or spray, at the rate of up to 700 sq. ft. per gallon according to the surface texture. On absorbent surfaces it is recommended that the first coat be thinned sparingly with water, and the second coat applied without thinning.

Resene Semi Gloss dries in 20 minutes and may be recoated in two hours. Brushes and equipment wash out in water.

The colours shown on this card are also available in: Resene Matt Latex; Resene Hi Glo Gloss Latex; Resene Super Gloss Enamel; Resene Lusta Glo Semi Gloss Enamel. For a further 101 colours, see the Resene B.S. 2660 colour card.

STIPPLECOTE PRODUCTS LIMITED  
GOUGH ST., LOWER HUTT. P.O. BOX 36-006 PHONE 697-114  
(AUCKLAND, CHRISTCHURCH, DUNEDIN)

